

Ideal to eliminate traces of epoxy, polyurethane, silicone, and other polymers

THE alternative solution to solvents

CARACTÉRISTIQUES

Cleans and degreases in one step

Contains no solvent

Very low viscosity

Fresh citrus scent



Contact
POLYMÈRES TECHNOLOGIES
for more information:
support@polymerestechnologies.com

DESCRIPTION

POLY CLEANERTM is a VOC-free, high-performance cleaner specially formulated to easily clean residues of POLYMÈRES TECHNOLOGIES products. This unique system is more effective than ordinary solvents against any resin spill or trace, whether on a work surface (countertops, desks, floors, etc.) or on tools, spatulas, and containers.

POLY CLEANER™ is an excellent alternative to solvent-based products such as alcohol, acetone, petroleum, white spirit, or any other harmful chemicals.

INSTRUCTIONS

PREPARATION

Always test before use. Do not use this product on plastic surfaces (ABS, PVC, styrene, and other similar materials).

USAGE

Apply this product to a clean cloth and wipe the stained area. If the resin is almost or completely polymerized, apply a cloth soaked with POLY CLEANERTM to the affected area and let rest for 24 hours at 22° C (72° F).

STORAGE

Store POLY CLEANERTM on a pallet or shelf at $22^{\circ}C$ ($72^{\circ}F$) with a relative humidity of less than 60%.



Available in 1L and 4L sizes





TYPICAL PROPERTIES (AT 22 °C/72 °F)	
VISCOSITY (Brookfield (cps))	45 cps at 22°C (72°F)
CONSISTENCY	Liquid
DENSITY (g/cm³)	0.99 g/cm ³
COLOR	Transparent

PRECAUTIONS

- Consult material safety data sheet prior to use.
- Normal health and safety measures should be observed when handling this product.
- Ensure good ventilation.
- Wear gloves, safety glasses, and protective clothing.
- Once the container is opened, POLYMÈRES TECHNOLOGIES can no longer be held responsible for this product.
- Shelf life of this product in original closed containers is one (1) year from the date of purchase, under recommended storage conditions.
- Keep from freezing.

It is recommended to follow provincial and federal safety regulations. In case of eye contact, rinse well with water. In case of skin contact, rinse with soap and water. Keep away from children.

ASSUMPTION OF RISK

The customer assumes all risk and liability for the results obtained by the use of any POLYMÈRES TECHNOLOGIES product, including, without limiting the generality of the foregoing, the use of the CHILL EPOXYTM line of products, and the use of any process, whether in terms of general effectiveness, success, or failure, and regardless of any oral or written statement made by way of technical advice or otherwise, related to the use of any POLYMÈRES TECHNOLOGIES product.

sales@polymerestechnologies.com
6330 Boulevard Laurier O, Saint-Hyacinthe, QC J2S 9A7
+1 (450) 250-3058

